HIGHLIGHTS
MUSICIAN & DJ

LD systems

Designed in Germany, heard around the world!

LD Systems® – Your Sound. Our Mission.

As a user of professional audio technology, you are in good hands with LD Systems. Your enthusiasm is our benchmark. Whether you are a sound engineer, a mobile DJ, a musician, a band, a singer-songwriter, a wedding singer or fitness trainer or just a sound addict like us – your needs are at the heart of every decision we make.

We are passionate about developing professional audio solutions that make your life easier on the job and meet your high expectations for sound and performance.

Of course, we are also happy to support you beyond your purchase. With us, you'll experience some of the best customer support in the industry – true to the motto "Your Sound. Our Mission."

LD Systems' professional audio product lines include innovative, high-performance PA systems, advanced speakers and subwoofers for live events, installations or battery-powered outdoor use.

LD Systems wireless microphone and in-ear monitoring systems provide full freedom of movement and reliability for artists on stage and excellent speech intelligibility for speakers in conferences.

The information contained in this publication, including numerical data, has been prepared as a general guide to the products, but intending buyers and users must satisfy themselves as to the suitability and the safety of the products for their particular purposes and duties. No responsibility is assumed for any errors herein. The company reserves the right to alter the designs and material specifications of products shown in this publication without notice.

MON G3 SERIES 04

MAUI® G3 MIX 06

08 MAUI® SERIES

DAVE G4X SERIES 10

12 ICOA® SERIES

CURV® 500 14

STINGER® G3 16

20 U300® / U500® SERIES

MON G3 SERIES
One step beyond.

POWERED COAXIAL STAGE MONITORS

Unlocking the potential of advanced stage monitoring for musicians, DJs and audio engineers. This thought guided our developers as they completely reimagined the concept of our MON stage monitor series to create the perfect package. A harmonious blend of advanced acoustics, clever features, intuitive operation, durable materials and the elegant LD Systems design propels the new MON G3 Series one step beyond.

1.75" TITANIUM DIAPHRAGM

EXTRA STRONGSTEEL FRONT GRILL
FOR EFFECTIVE PROTECTION

DISCREET ROTATABLE BRAND LOGO

TUNABLE NOTCH FILTER

BASS REFLEX PORT

PowerCon COMPATIBLE FOR RELIABLE POWER CONNECTION & DAISY CHANING

4 SOUND PRESETS
& 3-BAND EQ

Find out more about our **MON G3** SERIES
ld-systems.com/**MONG3**

MON 8 A G3

8" POWERED COAXIAL STAGE MONITOR

System power (Peak)	1200 W
Max. SPL (Peak)	121 dB
Frequency response (-10 dB)	59 - 20,000 Hz
Dimensions (W x H x D)	340 x 278 x 368 mm / 13.4 x 10.9 x 14.5 inch
Weight	13.2 kg / 29.1 lbs

MON 10 A G3

10" POWERED COAXIAL STAGE MONITOR

System power (Peak)	1200 W
Max. SPL (Peak)	126 dB
Frequency response (-10 dB)	58 - 20,000 Hz
Dimensions (W x H x D)	380 x 305 x 426 mm / 15 x 12 x 16.7 inch
Weight	15.21 kg / 33.5 lbs

MON 12 A G3

12" POWERED COAXIAL STAGE MONITOR

System power (Peak)	1200 W
Max. SPL (Peak)	127 dB
Frequency response (-10 dB)	55 - 20,000 Hz
Dimensions (W x H x D)	425 x 315 x 453 mm / 16.7 x 12.4 x 17.8 inch
Weight	17.4 kg / 38.4 lbs

MON 15 A G3

15" POWERED COAXIAL STAGE MONITOR

System power (Peak)	1200 W
Max. SPL (Peak)	129 dB
Frequency response (-10 dB)	48 - 20,000 Hz
Dimensions (W x H x D)	505 x 340 x 517 mm / 19.9 x 13.4 x 20.4 inch
Weight	23.15 kg / 51 lbs

MAUI® G3 MIX

SMALL NEVER SOUNDED SO BIG.

NEW

Everything on-board!
With the MAUI G3 Mix versions, you no longer need a mixing console. The integrated 6-channel mixer offers you a wide range of possibilities thanks to mic / Hi-Z / line inputs. This means that you can connect microphones, guitars, basses, keyboards or various players directly and mix and filter the signals. By connecting two MAUI-G3-MIX systems via SysLink® to a stereo setup, the number of available analogue inputs is doubled. Of course, direct streaming via Bluetooth 5.0 is also available.

Menu control is extremely intuitive thanks to the control panel with LC display and three rotary-push controls. You can adjust effects, EQ, dynamics and monitor signals in just a few simple steps - even for each individual channel.

MID-RANGE PHASE-PLUGS
FOR IMPROVED CONSTANT HORIZONTAL DIRECTIVITY

CARDIOID COLUMN
FOR CONTROLLED DISPERSION IN THE LOW-MID FREQUENCIES

IN/OUT
INPUT: 2X MONO, 1X STEREO AND 1X BLUETOOTH
OUTPUT: 2X MONITOR, 1X SYSTEM-OUT

ULTRA TOUGH IMPACT RESISTANT POLYUREA COATING

FLOW-OPTIMISED BASS-REFLEX PORTS

DEEPER BASS REPRODUCTION
DOWN TO 37 / 39 HZ THANKS TO 12" (MAUI 28 G3) OR 2 X 8" (MAUI 11 G3) SUBWOOFER



Find out more about our **MAUI® G3 MIX** SERIES
ld-systems.com/**MAUIG3MIX**

MAUI® 11 G3 MIX (W)

PORTABLE CARDIOID COLUMN PA SYSTEM WITH MIXER

System output (Peak)	1460 W
Max. SPL (Peak)	125 dB
Woofers	2 x 1" tweeter / 6 x 3.5" mid / 2 x 8" sub
Overall height	2052 mm / 80.8 inch
Weight	31.2 kg / 68.8 lbs

MAUI® 28 G3 MIX (W)

COMPACT CARDIOID COLUMN PA SYSTEM WITH MIXER

System output (Peak)	2060 W
Max. SPL (Peak)	127 dB
Woofers	2 x 1" tweeter / 12 x 3.5" mid / 12" sub
Overall height	2052 mm / 80.8 inch
Weight	35.9 kg / 79.1 lbs

INTEGRATED 6-CHANNEL MIXER

WITH ON-BOARD EFFECTS, 5-BAND EQ, DYNAMICS & FOOTSWITCH INPUT

USER-FRIENDLY MENU CONTROL

EXTREMELY INTUITIVE THANKS TO THE CONTROL PANEL WITH COLOR DISPLAY AND THREE ROTARY-PUSH CONTROLS

SYSLINK®

CONNECT TWO MAUI G3 MIX SYSTEMS VIA SYSLINK® TO CREATE A STEREO SETUP AND DOUBLE THE NUMBER OF AVAILABLE CHANNELS

FREE APP

WITH EASY AND EXPERT MODE FOR REMOTE ADJUSTMENTS VIA SMARTPHONE AND TABLET

MAUI® SERIES – Sleek. Easy. Mighty.

The powered MAUI® column systems by LD Systems offer an especially compact complete PA solution: they are very easy to transport, can be set up in seconds, and blend into any setting thanks to their unobtrusive appearance. The vertical array configuration, digital signal processing, and individualized amplification of the frequency bands by separate power amplifiers ensure an especially large dispersion angle and extremely homogeneous sound distribution in the audience area. With their impressive audio performance and simple handling, the LD MAUI® PA systems are suitable for a surprisingly wide range of applications.

SUPER WIDE 120° HORIZONTAL DISPERSION

DynX® DSP (Gen. 2)
FOR DISTORTION-FREE SOUND
EVEN AT MAXIMUM VOLUME

BLUETOOTH® CONNECTIVITY
FOR HIGH QUALITY AUDIO STREAMING

CARDIOID COLUMN
FOR CONTROLLED DISPERSION
IN THE LOW-MID FREQUENCIES

MAUI® 11 G3

ALL MAUIS AVAILABLE
IN **BLACK OR WHITE**

Find out more about our **MAUI®** SERIES
ld-systems.com/**MAUI**

MAUI® 44 G2

CARDIOID POWERED COLUMN PA SYSTEM

System power (Peak)	3000 W
Max. SPL (Peak)	132 dB
Woofers	4 x 1" tweeter / 12 x 3.5" mid / 15" sub
Overall height	2256 mm / 88.8 inch
Weight	47.6 kg / 104.9 lbs

MAUI® 28 G3

COMPACT POWERED COLUMN PA SYSTEM

System power (Peak)	2060 W
Max. SPL (Peak)	127 dB
Woofers	2 x 1" tweeter / 12 x 3.5" mid / 12" sub
Overall height	2052 mm / 80.8 inch
Weight	35.4 kg / 78 lbs

MAUI® 11 G3

PORTABLE POWERED COLUMN PA SYSTEM

System power (Peak)	1460 W
Max. SPL (Peak)	125 dB
Woofers	2 x 1" tweeter / 6 x 3.5" mid / 2 x 8" sub
Overall height	2052 mm / 80.8 inch
Weight	30.7 kg / 67.7 lbs

MAUI® 5

ULTRA PORTABLE POWERED COLUMN PA SYSTEM WITH MIXER

System power (Peak)	400 W
Max. SPL (Peak)	120 dB
Woofers	4 x 3" mid / 8" sub
Overall height	1985 mm / 78.1 inch
Weight	11.3 kg / 24.9 lbs

MAUI® 5 GO

ULTRA-PORTABLE BATTERY-POWERED COLUMN PA SYSTEM – 5200 mAh

System power (Peak)	400 W
Max. SPL (Peak)	120 dB
Woofers	4 x 3" mid / 8" sub
Overall height	1985 mm / 78.1 inch
Weight	12.9 kg / 28.4 lbs

MAUI® 5 GO 100

ULTRA-PORTABLE BATTERY-POWERED COLUMN PA SYSTEM – 3200 mAh

System power (Peak)	400 W
Max. SPL (Peak)	120 dB
Woofers	4 x 3" mid / 8" sub
Overall height	1985 mm / 78.1 inch
Weight	12.4 kg / 27.3 lbs

MAUI® P900 (W/G/B)

POWERED COLUMN PA SYSTEM BY PORSCHE DESIGN STUDIO

System power (Peak)	2800 W
Max. SPL (Peak)	131 dB
Woofers	32 x 1" tweeter / 16 x 2.8" mid / 2 x 10" sub
Overall height	2173 mm / 85.6 inch
Weight	46 kg / 101.4 lbs

Expand your horizon at:
ld-systems.com/**MAUIP900**

DAVE G4X SERIES

PLUG. PLAY. PARTY.

COMPACT 2.1 POWERED PA SYSTEMS

DAVE – a name that at LD Systems stands for powered 2.1 PA systems which offer everything DJs and musicians need: a powerful and universally applicable sound, sophisticated functions, and compact dimensions. With the DAVE G4X Series, LD Systems is now starting the revolution and developing the extremely popular PA systems from scratch. With its newly developed 2.1 design, the G4X Series forms a perfectly-matched, compact system with professional acoustic properties. Set it up, plug it in – and enjoy the sounds! In addition, the DAVE G4X Series now features an integrated 6-channel mixer including reverb, as well as enhanced connectivity options such as Bluetooth® and SPDIF.

MULTIBAND LIMITER

INTEGRATED 6 CHANNEL MIXER
WITH EQ AND REVERB

BLUETOOTH® AND SPDIF
SIGNAL INPUTS

CLASS D AMPLIFIER
WITH PASSIVE COOLING TO PREVENT FAN NOISE

CLUSTER MODE
NEW PRESET FOR CLUSTER SETUPS

Find out more about our **DAVE G4X** SERIES
ld-systems.com/**DAVEG4X**

DAVE 10 G4X

COMPACT 2.1 POWERED SOUND SYSTEM

System power (Peak)	680 W
Max. SPL (Peak)	120 dB
Woofers	2 x 1" tweeter / 2 x double 4" mid / 10" sub
Frequency response (-10 dB)	37 - 20,000 Hz
Weight	24.5 kg / 54 lbs

DAVE 12 G4X

COMPACT 2.1 POWERED PA SYSTEM

System power (Peak)	1460 W
Max. SPL (Peak)	127 dB
Woofers	2 x 0.5" tweeter / 2 x 6.5" mid / 12" sub
Frequency response (-10 dB)	37 - 20,000 Hz
Weight	43.7 kg / 96.3 lbs

DAVE 15 G4X

COMPACT 2.1 POWERED PA SYSTEM

System power (Peak)	2060 W
Max. SPL (Peak)	130 dB
Woofers	2 x double 0.5" tweeter / 2 x 8" mid / 15" sub
Frequency response (-10 dB)	33 - 20,000 Hz
Weight	53.9 kg / 118.8 lbs

DAVE 18 G4X

COMPACT 2.1 POWERED PA SYSTEM

System power (Peak)	4000 W
Max. SPL (Peak)	134 dB
Woofers	2 x double 0.5" tweeter / 2 x 8" mid / 18" sub
Frequency response (-10 dB)	30 - 20,000 Hz
Weight	63.2 kg / 139.3 lbs

ICOA® SERIES – Spin your sound right round



Enjoy the freedom of blasting the sound as loud and hard as you want for your audience. The horn-loaded woofer covers the complete bandwidth of sound with rich, deep bass. The choice is all yours: use the coaxial speakers as either full range loudspeakers or as monitor boxes – in 12" or 15" format. After all, both the powered and passive loudspeakers in the LD Systems ICOA® Series are true all-rounders: their coaxial configuration allows the BEM-optimised CD horn – and the logo – to be easily rotated 90°.

The result: you can perfectly position your powered loudspeaker at the right transmission angle. The sound is brilliant and super powerful in all positions, and the design is truly impressive, no matter if installed as a main system or horizontal monitor box. Every now and then all you need is a new perspective for greater freedom!

4 ALUMINIUM HANDLES
WITH AN ERGONOMIC RUBBER SURFACE

COAXIAL ROTATABLE HORN DESIGN

36 MM DUAL-TILT STAND ATTACHMENT
WITH 0° AND 5° TILT ANGLES AND
55° FLOOR MONITOR ANGLE

BASS REFLEX DESIGN

Find out more about our **ICOA** SERIES
ld-systems.com/**ICOA**

ICOA® 12

12" PASSIVE COAXIAL PA LOUDSPEAKER

System power (Peak)	1000 W
Max. SPL (Peak)	123 dB
Dimensions (W x H x D)	375 x 635 x 396 mm 14.8 x 25 x 15.6 inch
Weight	19.8 kg / 43.7 lbs

ICOA® 12 A (BT)

12" POWERED COAXIAL PA LOUDSPEAKER (WITH BLUETOOTH)

System power (Peak)	1200 W
Max. SPL (Peak)	126 dB
Dimensions (W x H x D)	375 x 635 x 396 mm 14.8 x 25 x 15.6 inch
Weight	19.95 kg / 44 lbs

ICOA® SUB 15 A

15" POWERED BASS REFLEX PA SUBWOOFER

System power (Peak)	1600 W
Max. SPL (Peak)	131 dB
Dimensions (W x H x D)	510 x 598 x 552 mm 20.1 x 23.5 x 21.7 inch
Weight	32.5 kg / 71.7 lbs

ICOA® 15

15" PASSIVE COAXIAL PA LOUDSPEAKER

System power (Peak)	1000 W
Max. SPL (Peak)	125 dB
Dimensions (W x H x D)	416 x 695 x 415 mm 16.4 x 27.4 x 16.3 inch
Weight	24.7 kg / 54.5 lbs

ICOA® 15 A (BT)

15" POWERED COAXIAL PA LOUDSPEAKER (WITH BLUETOOTH)

System power (Peak)	1200 W
Max. SPL (Peak)	128 dB
Dimensions (W x H x D)	416 x 695 x 415 mm 16.4 x 27.4 x 16.3 inch
Weight	24.3 kg / 53.6 lbs

ICOA® SUB 18 A

18" POWERED BASS REFLEX PA SUBWOOFER

System power (Peak)	2400 W
Max. SPL (Peak)	133 dB
Dimensions (W x H x D)	626 x 672 x 637 mm 24.6 x 26.5 x 25.1 inch
Weight	44.3 kg / 97 lbs

EASY INSTALLATION

with the Universal Mounting Bracket for ICOA 12"/15"

- Universal bracket for horizontal or vertical wall attachment
- Truss mounting with optionally available clamp
- Easy-Click System
- Rotatable in 10° increments up to 180° with scaling indicator
- Cable feedthrough
- Load capacity up to 27 kg / 59.5 lbs

CURV 500® SERIES – Array reinvented

With the patented CURV 500®, LD Systems presents the first really portable array with WaveAhead® technology for high-definition audio quality with an amazing sound pressure and excellent balance. Thanks to the expandable vertical and horizontal coverage, the system is completely scalable. The unibody aluminium construction of the CURV 500® array satellites sets new standards and is essential for the outstanding sound quality of the system. The unique SmartLink® plug-and-play adapter also offers numerous mounting options. For all-in-one comfort, the 4-channel mixer integrated in the CURV 500® provides a range of digital effects, as well as modern Bluetooth® wireless technology. Three sets are available for mobile and fixed installation. They feature a low weight and a wide, far-ranging sound dispersion. Thanks to optional extensions, the systems can be perfectly expanded further. Black and white housing designs for the AV Set allow for harmonious integration into the surrounding architecture.



CURV 500® TS

PORTABLE ARRAY SYSTEM
TOURING SET

System power (Peak)	2000 W
Max. SPL (Peak)	131 dB
Woofers	18 x 1" tweeter / 6 x 4" mid / 15" sub
Subwoofer (W x H x D)	600 x 437 x 587 mm 23.6 x 17.2 x 23.1 inch
Weight	48.2 kg / 106.3 lbs

CURV 500® ES

PORTABLE ARRAY SYSTEM
ENTERTAINER SET

System power (Peak)	920 W
Max. SPL (Peak)	128 dB
Woofers	12 x 1" tweeter / 4 x 4" mid / 10" sub
Subwoofer (W x H x D)	325 x 383 x 491 mm 12.8 x 15.1 x 19.3 inch
Weight	26.8 kg / 59.1 lbs

CURV 500® PS

PORTABLE ARRAY SYSTEM
POWER SET

System power (Peak)	1840 W
Max. SPL (Peak)	134 dB
Woofers	24 x 1" tweeter / 8 x 4" mid / 2 x 10" sub
Subwoofer (W x H x D)	325 x 383 x 491 mm 12.8 x 15.1 x 19.3 inch
Weight	59.1 kg / 130.3 lbs

CURV 500® AVS (W)

PORTABLE ARRAY SYSTEM
A/V SET

System power (Peak)	720 W
Max. SPL (Peak)	122 dB
Woofers	3 x 1" tweeter / 1 x 4" mid / 1 x 10" sub
Subwoofer (W x H x D)	325 x 383 x 491 mm / 12.8 x 15.1 x 19.3 inch
Weight	22.8 kg / 50.3 lbs

Find out more about our **CURV 500** SERIES
ld-systems.com/**CURV500**

STINGER® G3 SERIES

MULTIFUNCTIONAL PA SPEAKERS & SUBWOOFERS

Exceptional sound, reliable performance and unparalleled value across the board - that's LD Systems' STINGER® G3 Series. Real workhorses for demanding applications, these loudspeakers have been engineered to provide truly professional sound reinforcement solutions. The STINGER® G3 line includes active and passive models that are simply outstanding in their class. Custom designed drivers with high power handling and BEM modelled waveguides deliver immaculate audio quality, extended low frequency response and coherent coverage. Sporting lightweight Class D power stages, active STINGER® G3 models are capable of huge sound pressure levels. The multi-purpose tops feature up to a massive 500 watts RMS output and carefully tailored presets for flat response, fullrange, satellite or floor monitor applications.

36 MM DUAL-TILT POLE MOUNT
FOR 0° OR 5° MOUNTING ANGLES

BEM OPTIMIZED HF WAVEGUIDE
FOR UNIFORM COVERAGE

APPLICATION PRESETS
FOR QUICK FREQUENCY RESPONSE CONTOURING

UP TO 800 W RMS POWER
AND 134 DB MAX SPL

BIRCH PLY CABINET
WITH ULTRA RUGGED POLYUREA FINISH

LD SYSTEMS DYNX® DSP TECHNOLOGY
FOR DISTORTION-FREE PERFORMANCE

HIGH POWER BASS REFLEX PA SUBWOOFERS
WITH CARDIOID SETUP PRESETS

STINGER® G3 PASSIVE VERSIONS

STINGER® 8 G3

2-WAY PASSIVE 8" PA LOUDSPEAKER

Load rating (RMS)	250 W
Max. SPL (Peak)	119 dB
Dimensions (W x H x D)	270 x 457 x 290 mm 10.6 x 17.9 x 11.4 inch
Weight	9.9 kg / 21.8 lbs

STINGER® 10 G3

2-WAY PASSIVE 10" PA LOUDSPEAKER

Load rating (RMS)	300 W
Max. SPL (Peak)	121 dB
Dimensions (W x H x D)	325 x 527 x 318 mm 12.8 x 20.7 x 12.5 inch
Weight	11.5 kg / 25.4 lbs

STINGER® 12 G3

2-WAY PASSIVE 12" PA LOUDSPEAKER

Load rating (RMS)	400 W
Max. SPL (Peak)	125 dB
Dimensions (W x H x D)	390 x 627 x 377 mm 20.1 x 23.5 x 21.7 inch
Weight	19.4 kg / 71.7 lbs

STINGER® 15 G3

2-WAY PASSIVE 15" PA LOUDSPEAKER

Load rating (RMS)	500 W
Max. SPL (Peak)	127 dB
Dimensions (W x H x D)	480 x 737 x 455 mm 18.9 x 29 x 17.9 inch
Weight	25.7 kg / 60.6 lbs

STINGER® 28 G3

2-WAY PASSIVE 2 x 8" PA LOUDSPEAKER

Load rating (RMS)	400 W
Max. SPL (Peak)	125 dB
Dimensions (W x H x D)	270 x 756 x 290 mm 10.6 x 29.8 x 11.4 inch
Weight	19.3 kg / 42.5 lbs

STINGER® SUB 15 G3

PASSIVE 15" BASS REFLEX PA SUBWOOFER

Load rating (RMS)	600 W
Max. SPL (Peak)	127 dB
Dimensions (W x H x D)	576 x 477 x 624 mm 22.7 x 18.8 x 24.6 inch
Weight	29.7 kg / 65.5 lbs

STINGER® SUB 18 G3

PASSIVE 18" BASS REFLEX PA SUBWOOFER

Load rating (RMS)	800 W
Max. SPL (Peak)	129 dB
Dimensions (W x H x D)	677 x 547 x 740 mm 26.7 x 21.5 x 29.1 inch
Weight	40.6 kg / 89.5 lbs

HIGH POWER FOR YOUR PASSIVE SPEAKERS DSP 44 K

Find out more about our **STINGER G3** SERIES

ld-systems.com/**STINGERG3**

STINGER® G3 ACTIVE VERSIONS

STINGER® 8 A G3

2-WAY ACTIVE 8" PA LOUDSPEAKER

Load rating (RMS)	300 W
Max. SPL (Peak)	125 dB
Dimensions (W x H x D)	270 x 457 x 290 mm 10.6 x 17.9 x 11.4 inch
Weight	10.5 kg / 23.2 lbs

STINGER® 10 A G3

2-WAY ACTIVE 10" PA LOUDSPEAKER

Load rating (RMS)	300 W
Max. SPL (Peak)	127 dB
Dimensions (W x H x D)	325 x 527 x 318 mm 12.8 x 20.7 x 12.5 inch
Weight	12.7 kg / 28 lbs

STINGER® 12 A G3

2-WAY ACTIVE 12" PA LOUDSPEAKER

Load rating (RMS)	500 W
Max. SPL (Peak)	131 dB
Dimensions (W x H x D)	390 x 627 x 377 mm 20.1 x 23.5 x 21.7 inch
Weight	20.1 kg / 44.3 lbs

STINGER® 15 A G3

2-WAY ACTIVE 15" PA LOUDSPEAKER

Load rating (RMS)	500 W
Max. SPL (Peak)	133 dB
Dimensions (W x H x D)	480 x 737 x 455 mm 18.9 x 29 x 17.9 inch
Weight	26.8 kg / 59.1 lbs

STINGER® 28 A G3

2-WAY ACTIVE 2 x 8" PA LOUDSPEAKER

Load rating (RMS)	500 W
Max. SPL (Peak)	131 dB
Dimensions (W x H x D)	270 x 756 x 290 mm 10.6 x 29.8 x 11.4 inch
Weight	20.5 kg / 45.2 lbs

STINGER® SUB 15 A G3

ACTIVE 15" BASS REFLEX PA SUBWOOFER

Load rating (RMS)	450 W
Max. SPL (Peak)	133 dB
Dimensions (W x H x D)	576 x 477 x 624 mm 22.7 x 18.8 x 24.6 inch
Weight	31.9 kg / 70.3 lbs

STINGER® SUB 18 A G3

ACTIVE 18" BASS REFLEX PA SUBWOOFER

Load rating (RMS)	800 W
Max. SPL (Peak)	135 dB
Dimensions (W x H x D)	677 x 547 x 740 mm 26.7 x 21.5 x 29.1 inch
Weight	42.6 kg / 93.9 lbs

EASY INSTALLATION

WITH OUR WALL AND TRUSS MOUNT ACCESSORIES

- Swivel Wall Mount (8/10/12/15/28)
- Tilt- and Swivel Wall Mount (8/10/12/15/28)
- Truss Mount Clamp Set (8/10)
- Truss Mount Bracket (12/15)

Truss Clamp Set

Tilt- and Swivel Wall Mount



Truss Mount Bracket

Swivel Wall Mount

STINGER SETS

LOUNGE SET

2 X 8" PA SPEAKER | 1 X 15" SUBWOOFER

Providing easy portability, this compact set is terrific for small gigs and functions that require excellent music and speech reinforcement.

Applications:
DJs | solo entertainers | singer-songwriters | private functions

Audience Size*: 150 music | 200 speech **Active** / **Passive**

EVENT SET

2 X 10" PA SPEAKER | 2 X 15" SUBWOOFER

This set is the perfect all-round package for small to medium-sized gigs and functions providing a tight and punchy low end from the two subwoofers.

Applications:
small bands | DJs | private functions

Audience Size*: 200 music | 300 speech **Active** / **Passive**

POWER SET

2 X 12" PA SPEAKER | 2 X 18" SUBWOOFER

Excellent for live clubs and touring bands, this set is a superb choice wherever highly dynamic music reinforcement with plenty of power and punch is of prime importance.

Applications:
bands | live clubs | large private functions | corporate events
AV presentations

Audience Size*: 250 music | 350 speech **Active** / **Passive**

IMPACT SET

2 X 15" PA SPEAKER | 4 X 18" SUBWOOFER

Delivering a massive low-end with punch and clarity, this set is ideal for outdoor sound reinforcement. With a quartet of subwoofers an two 15" tops, it easily covers medium-sized gigs at town fairs, street festivals and in marquees.

Applications: outdoor sound reinforcement for bands | DJs | large private functions

Audience Size*: 300 music | 400 speech **Active** / **Passive**

GALA SET

2 X DOUBLE 8" PA SPEAKER | 2 X 18" SUBWOOFER

Including a pair of slim, low-profile satellites and two subwoofers, this set is a great option for events that require excellent speech intelligibility and extended coverage.

Applications:
gala events | corporate conferences | large private functions

Audience Size*: 250 music | 350 speech **Active** / **Passive**

*NOTE: Audience size specifications are approximate only. The actual numbers may vary depending on room acoustics and environment.

U300® / U500® SERIES – Nothing compares to U

The U500® and U300® Series wireless systems have been developed based on user feedback to provide technically advanced yet affordable wireless microphones and in-ear monitoring systems tailored to the needs of professional users. Whether for vocals, instruments or wireless in-ear monitoring, our versatile sets meet your expectations for premium sound, reliability and ease of use.

SOUND QUALITY WITH UP TO 100 METERS OR 300 FEET OF REACH

ONE BODYPACK, WIDE RANGE
WITH MINI XLR INPUT, WITH A THREE-POSITION LEVEL SWITCH

UP TO 12 SYSTEMS SIMULTANEOUSLY

INTERCHANGEABLE MIC HEADS

Find out more about our **U500** SERIES
ld-systems.com/**U500**

U3XX* HHD

WIRELESS MICROPHONE SYSTEM WITH DYNAMIC HANDHELD MICROPHONE

Channels	12
Frequency response	55 Hz - 16 KHz
Rated HF output power	10 mW

U3XX* HHD 2

DUAL WIRELESS MICROPHONE SYSTEM WITH 2X DYNAMIC HANDHELD MICROPHONE

Channels	12
Frequency response	35 Hz - 16 KHz
Rated HF output power	10 mW

U3XX* IEM

IN-EAR MONITORING SYSTEM

Channels	12
Operating modes	Mono/Stereo
Frequency response	50 Hz - 16 KHz
Rated HF output power	10 mW

U5XX* HHD

WIRELESS MICROPHONE SYSTEM WITH DYNAMIC HANDHELD MICROPHONE

Channels	96 (8 groups of 12 channels)
Frequency response	60 Hz - 16 KHz
Rated HF output power	Variable (2/10/30mW)

U5XX* HHD 2

DUAL WIRELESS MICROPHONE SYSTEM WITH 2X DYNAMIC HANDHELD MICROPHONE

Channels	96 (8 groups of 12 channels)
Frequency response	60 Hz - 16 KHz
Rated HF output power	Variable (2/10/30mW)

U5XX* IEM

IN-EAR MONITORING SYSTEM

Channels	96 (8 groups of 12 channels)
Operating modes	Stereo/Focus/Mono
Frequency response	40 Hz - 16 KHz
Rated HF output power	Variable (2/10/30mW)

ALSO AVAILABLE WITH BODYPACK AS GUITAR, HEADSET, LAVALIER OR BRASS INSTRUMENT MIC VERSION.

* WHAT FREQUENCY ARE YOU PLAYING ON?

- 470 - 490 MHz: **U304.7/ U504.7 (only available in USA)**
- 514 - 542 MHz: **U305.1 / U505.1 (only available in USA)**
- 548 - 607 MHz **U305 / U505**
- 655 - 679 MHz **U306 / U506**
- 823 - 832 MHz / 863 - 865 MHz **U308 / U508**
- 1785 - 1800 MHz **U518**

Find out more about our **U300** SERIES
ld-systems.com/**U300**

About our **mission**.

RELIABILITY
Regardless of which concert or event, whether on stage or at a conference, you have to instinctively be able to rely on your sound system. That's why LD Systems® continues to pride itself on delivering high-quality materials and long-lasting workmanship.

USER-FRIENDLINESS
LD Systems® puts the user first, meaning that simple, intuitive, and efficient operation is already factored in at an early stage during development. From ergonomic handles to easily readable LED displays.



PASSION
The same passion that takes hold of a musician on stage is what the engineers and designers at LD Systems® place into our products. These are not only sound technology specialists, but also sound technology enthusiasts, who passionately work out every detail until the sound and design meet the highest of standards.

SOUND PERFORMANCE
Product developers at LD Systems take great care to ensure that the sound you've got in mind becomes a reality. From tweeters to subwoofers, or from mobile PAs to installed systems, our goal is to always represent the latest state of sound technology.

DESIGN LANGUAGE
Thanks to its design-award-winning design language, LD Systems® products are not only a pleasure to be heard but a beauty to behold. The unmistakable LD Systems® Angle, for example, is used time and time again and gives products their special look.



5



LD systems

facebook.com/ldsystems
instagram.com/ld_systems_official
youtube.com/ldsystemsvideos

ld-systems.com

LD Systems is a brand of the Adam Hall Group

© 2024 Adam Hall Group. All rights reserved